





F20



Specifications

Boat Details

Price	POA	Boat Brand	Yamaha
Model	F20	Length	0.00
Year	2026	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type	Power	Stock Number	F20BEHPL

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Condition
Suburb

New
ERMINGTON

State
Engine Make

New South Wales

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

The New F20 EFI portable outboard, built on the same award-winning platform as the F25, sees many of Yamaha's larger engine technologies introduced to this smaller engine platform.

The new F20 now comes with both battery and battery-less Electronic Fuel Injection (EFI) options, for enhanced fuel economy, power and operating performance.

Other features include the introduction of variable trolling to allow for the perfect lure presentation, increased displacement from 362 to 432 cm³, and a high-output alternator which sees a 60% increase in output to meet additional electronic equipment power demand.

This engine comes in a number of configurations, including battery-less EFI, manual start and/or electric start, manual tilt or power tilt, and now with a new smaller and shorter multi-function tiller handle for the power tilt option.

Technical Specification

HeightS: 424 [16.7] | L: 551 [21.7]

WeightS(MH): 57 | L (MH): 59 | L(WPH): 67

Engine4-Stroke, SOHC In-line 2

Displacement432.0

Bore65 x 65.1

Max RPM5000-6000

LubricationWet-sump

IgnitionCDI

StarterManual (M), Manual and Electric (W)

Coil120W (MH)

Alternator12V - 16A with Rectifier Regulator (Battery Charging Kit Optional)

OperationTiller handle (H)

TiltManual Tilt, Power Tilt (P)

GaugesOptional

Network GaugesN/A

Fuel Tank24

Gear Ratio2.08 : 1

Lpd Switch1

Engine Details

Horse Power

20

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.