sydney watercraft centre

Phone: (02) 9858 4441
109 Station Road, Seven Hills NSW 2147
sales@sydneywatercraft.com.au



VF90







Specifications

Boat Details

Price	POA	Boat Brand	Yamaha
Model	VF90	Length	0.00
Year	2026	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type	Power	Stock Number	VF90A

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Phone: (02) 9858 4441
109 Station Road, Seven Hills NSW 2147
sales@sydneywatercraft.com.au

Condition	New	State	New South Wales
Suburb	ERMINGTON	Engine Make	

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Phone: (02) 9858 4441
109 Station Road, Seven Hills NSW 2147
sales@sydneywatercraft.com.au

Description

The all-new Yamaha 90-horsepower In-Line Four V MAX SHO® may be the smallest in the V MAX SHO® line, but it packs the biggest punch of any 90-horse on the water.

Its SOHC four-valve-per-cylinder design minimises weight while optimizing combustion. In fact, its lightweight design combined with 1.8L displacement makes the VMAX SHO 90 the class leader in torque and top speed. A reconfigured gear ratio also gives the VMAX SHO 90 greater holeshot and improved top-end speed over it's F90 sibling. The all-new Yamaha VMAX SHO 90, the latest addition to the VMAX family.Technical Specification
HeightL: 516 [20.3] | X: 643 [25.3]
WeightL: 160 | X: 164
Engine4-Stroke, 16 Valve SOHC In-line 4 Cylinder
Displacement1832.0
Bore81 X 88.9
Max RPM5000 - 6000
LubricationWet sump
FuelEFI
IgnitionTCI
StarterElectric
Alternator12V - 35A with Rectifier Regulator
OperationMechanical Control (Optional Tiller Handle Available)
TiltPower Trim & Tilt
GaugesOptional
Network GaugesOptional
Gear Ratio2:33:1
Lpd Switch1

Engine Details

Horse Power	90

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.